CONTROL CENTER

POLICY.

It is the policy of the Deschutes County Sheriff's Office - Adult Jail (AJ) to maintain a secure control center that serves as a 24-hour communications, safety, security monitoring, and coordination hub for the entire AJ.

PURPOSE.

The purpose of this policy is to provide guidelines for maintaining the integrity of the jail security perimeter, while managing internal movement to restrict and control access to the facility and allow only authorized personnel into the secured areas of the AJ.

OREGON JAIL STANDARDS:

- E-104 Facility Access
- E-105 Security Doors
- E-205 Use of CCTV

REFERENCES:

• ORS 169.076, Standards for local correctional facilities

DEFINITIONS.

Closed-Circuit Television (CCTV). An effective tool to monitor movement through the AJ, verifying the identity and purpose of persons attempting ingress or egress to the AJ or security zones within the jail, while monitoring limited-access areas. CCTV supplements rather than replaces personal surveillance of inmates.

AJ Support Members. Members including office assistants, nurses, classifications specialists, contract food service providers, contract phone service technician, AJ Maintenance Unit, and behavioral health specialists.

Double-door Security. Having only one door, of a two-door security vestibule, open at a time to control who enters and leaves the security perimeter.

Supersedes: January 4, 2018 Review Date: December 2021


Total Pages: 7

Emergency Exits. For the purpose of this policy, security doors leading to the outside security gated perimeter of the jail and used for emergency purposes only.
Main Housing. The area of the facility containing the housing units 100 through 1100, the recreation yards, law library/interview room, control center, programs office and hallways to these areas.
Non-public/Restricted Areas: For the purpose of this policy, all jail areas including administration and security perimeter. Visiting and attorney rooms are considered non-public. When authorized to enter non-public areas of the facility, the public may use these areas.
Sally Port . A vehicle security vestibule, with an entrance and exit, opening one door at a time to allow a security enclosure.
Secured Areas. For the purpose of this policy, secured areas are defined as the inner security of the facility beyond the double-locked and sliding-security doors.
Secured Housing Unit: All inmate housing units within the jail, including units 100 through 2000.
Security Doors. Security doors are located throughout the facility to maintain the integrity of jail security.
Security Perimeter. The outer areas of the jail that are surrounded by a security fence and gates.
PROCEDURES.
SECTION A: GENERAL GUIDELINES
A-1. The main responsibility of the control center is the security of the facility, inmates and members by preventing unauthorized persons from entering into the secure areas of the AJ.
AJ.
A-2. 2

3

A-3.	Access to the control center will be strictly limited
A-4.	Control center members will document, maintain and update records needed for the proper functioning of the jail. The documentation and records include, but are not limited to, recording of information in the daily log manually or using the Jail Management System (JMS).
SECT	TION B: FACILITY SECURITY ACCESS
B-1.	Access to the secure areas of the facility is restricted.
B-2.	
В-3.	Unauthorized persons will <u>not</u> be allowed in the non-public/restricted areas of the jail and will be instructed to leave the facility and/or grounds immediately.
SECT	TION C: SECURITY AND EMERGENCY EXIT DOORS
C-1.	Control center members will monitor all security and emergency exit doors Security and emergency exit door
	control is imperative to the security of the jail for the following reasons:
	a.
	b.
	c. To control movement and traffic through the facility.d. To control and compartmentalize an area for fire safety.
C-2.	Security and emergency exit doors
C-3.	Employees are responsible to verify security doors are closed and locked

C-4.	Opening any control center door will not occur when an inmate is in the hallway in the main housing area of the jail.
C-5.	Security doors to all housing units in the AJ will not be opened
C-6.	
C-7.	
C-8.	
C-9.	Employees will only use security or emergency exit doors as intended. No employee will or intentionally damage any security door, system or device. Discovery of any violation of this section may result in disciplinary action and/or criminal prosecution.
SECT	TION D: OPERATIONAL USE OF THE CONTROL PANEL
D-1.	Control panel operators will individually log in for each session
D-2.	
D-3.	
SECT	TION E: COMMUNICATIONS AND MONITORING
E-1.	The control center functions as the base station of all communications and monitoring within the facility.
E-2.	The control center operates a two-way intercom system employed throughout the AJ. Instant communications can be obtained with all inmate housing units and corridors. The intercom system is monitored constantly.
E-3.	Closed circuit cameras are stationed throughout the facility, The monitors for these cameras are located in the control center and are observed constantly to maintain member and inmate traffic control



radios provide a quick way of communicating instructions and information to members performing normal job duties. Proper radio procedures will be observed at all times.

E-5. In the event of any UPS Alarm (Uninterruptable Power Supply), control center members will immediately notify a supervisor.

For complete power loss, contact the Building Maintenance Unit immediately.


E-6. In the event of a system malfunction(s), note the date/time and nature of the observed malfunction. Provide as much detail and specific information as possible. Turn in noted problems to a supervisor without delay for communication to the appropriate personnel.

SECTION F: MAIN HOUSING SECURITY

- **F-1.** All foot traffic into and out of the secure areas of the jail will be controlled and regulated by the control center. Corrections members will use proper security measures for movement into and out of any secure perimeter.
- **F-2.** Double door security will be used when allowing inmates in or out of their housing unit.
- **F-3.** At the direction of control center members, inmates in classification levels I, II, III, IV, V, and VI may be allowed access in the hallways of the main housing unescorted, when moving from one location to another. While performing a service, such as serving meals, inmate workers will be escorted. Inmates with a classification level of Maximum Security 8 will be escorted by deputies, and extra security measures taken when removed from their cell.
- **F-4.** Inmates lodged in housing units 1200 through 2000 will be escorted when taken to medical, intake/release, recreations yards, attorney visits, public visiting, court video proceeding and programs.
- F-5. Control center members must make sure persons entering the secure areas of the jail are either

 A deputy must escort a visitor at all times while they are

in the secured area of the jail unless a supervisor authorizes unescorted entry.



F-7. Control center members must identify persons requesting entrance into the control center before allowing access. A supervisor must approve anyone that is not an authorized person.

SECTION G. SALLY PORT OPERATIONS

- **G-1.** Control center members will operate vehicular sally port doors. Control center members will open the vehicular sally port doors only when each of the following conditions are met:
 - a. The arresting/transporting LEO's identity is verified.
 - b. A prisoner is in the vehicle.
 - c. No emergency exists in the facility.

G-2.	
G-3.	

SECTION H: EMERGENCIES and EMERGENCY EXIT DOORS

- **H-1.** Emergency exit doors will only be opened during emergency situations and at the direction of a supervisor.
- **H-2.** Control members will log a supervisor's authorization for opening an emergency exit door in JMS.
- **H-3.** During an emergency, control center members will gather and relay information to the appropriate person(s) or agencies as it becomes available.
- **H-4.** Emergency plans will be maintained in the control center at all times.
- **H-5.** The alarm panel for the smoke detectors and fire sensors throughout the facility is located in the control center. Emergency areas can be identified and quickly checked through the use of this system.
- **H-6.** During an emergency evacuation, promptness, safety and security are major considerations.

H-7.

- **H-8.** Control center members will do periodic checks on systems and equipment. Supervisors will determine the frequency of the checks and ensure the checks are completed. Systems and equipment to check are:
 - a. Closed-circuit surveillance cameras
 - b. Communications
 - c. Alarms
 - d. Electronic gate security
 - e. Emergency alarm and generator
 - f. Fire alarms
 - g. Intercoms
 - h. Radios
 - i. Telephones
- **H-9.** Supervisors will ensure accurate and up-to-date emergency contact lists are maintained

The lists

will include the following:

- a. Courts
- b. Dispatch
- c. Fire departments
- d. Jails in the tri-county area (Crook, Jefferson and Klamath)
- e. Prisons (state and federal as appropriate)
- f. Judges
- g. Maintenance
- h. Medical Unit members
- i. Police departments
- j. Probation and parole officers
- k. Sheriff's Office members

H-10. All keys

H-11. In the event of an emergency

FORMS USED: None